(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 4 July 2002 (04.07.2002)

PCT

(10) International Publication Number WO 02/051258 A2

(51) International Patent Classification⁷: A23G 3/30

(21) International Application Number: PCT/EP01/13473

(22) International Filing Date:

19 December 2001 (19.12.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: MI2000A002810

22 December 2000 (22.12.2000) IT

- (71) Applicant (for all designated States except US): ATP AVANT-GARDE TECHNOLOGIES PRODUCT [CH/CH]; Marketing & Licensing SA, Via Pizzamiglio, 12, CH-6833 Vacallo (CH).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): BADETTI, Rolando [IT/IT]; Via Guerrazzi, 49, I-20052 Monza (IT).
- (74) Agent: RICCARDI, Sergio; Via M. Melloni, 32, I-20129 Milano (IT).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

5

10

15

20

25

30



"A process for the preparation of medicated chewing gums containing active principles being labile to the humidity"

The present invention concerns a process for the preparation of medicated chewing gums, particularly a process for the preparation of base gum suitable as component for medicated chewing gums containing active principles being labile to the humidity.

The base gum of chewing gums is a mixture comprising generally elastomers, resins, plasticizers, insoluble audjuvants, food antioxidants. All the base gums addressed to the preparation of chewing gums must be, of course, consistent with the rules for the direct preparations for food use, and in the specific case of the medicated chewing gums, the problems generated for the presence of active principle must be taken into consideration.

For the production of the chewing gums there are two different approaches, the first one uses heat, while the second one consists of a cold-pressure technique of powders. In such a case the base gum is therefore powdered and then mixed with one or more active principles, sweeteners, flavours and other various components in order to obtain an homogenous mixture. The obtained mixture is then passed through a tabletting machine for the production of the tablets.

The base gum powder obtained in the grinding step before being mixed with other components for the production of the finished gum is unloaded in suitable containers and let in the open air for variable times. In view of the fact that the grinding step occurred with a cold treatment and the ground gum comes out at a temperature below 0°C, the low temperature generates condensation of the humidity, present in the air, on the powder. The base gum slowly reaches the room temperature and the final humidity level has a value comprised of 1-3%, which is variable in a range being dependent on how long the ground and cold gum is let in the open air and on the humidity level which is present in the particular moment.

Until now this final humidity level value in the gum can not be further lowered according to the known techniques, thereby the medicated gums containing active principles being labile to the humidity are more difficult to be obtained. As a matter of fact a process for the production of chewing gums which are obtained by pressure and are comprised of active principles being labile to the humidity is not known.

5

10

15

20

25

30



It was surprisingly found that through a post-grinding treatment and a certain dwelling time of the base gum it is possible to reduce further the amount of the humidity of the base gum.

An object of the present invention is therefore to provide a process for the preparation of the base gum which allows an active principle being labile to the humidity to be included in the final medicated gum.

The above indicated object is reached by providing the process as recited in claim 1. Further advantages of the invention are obtained through the characteristics recited in the dependent claims.

The process according to the present invention comprises the following steps:

- a) podwering the base gum in a grinding chamber;
- b) reducing the amount of the humidity of the ground gum,
- c) mixing the obtained powder with one or more active principles and suitable additives until the mixture is becoming homogeneous; and
- d) pressing the obtained mixture in to tablets of desired size; characterized in that in step b) the ground gum is introduced in a mixer-dryer together with a dehydrated substance and rotatably placed under vacuum at a temperature of 15-20°C.

According to the present invention the humidity level of the base gum of step b) as measured with Karl Fischer apparatus is comprised between 0.01 and 0.1%.

The term "base gum" is intended as meaning a starting product of a mixture comprising generally elastomers, resins, plasticizers, insoluble audjuvants, food antioxidants.


Advantageously the dehydrated substance is anhydrous silica precipitate in amount of 2% by weight.

According to an embodiment of the present invention the regulation of the temperature is carried out through circulation of a fluid in the cold jacket, preferably water and ethylene glycol at a temperature of 15-20°C.

Advantageously the dwelling time in the mixer-dryer is of 2-3 hours.

Preferably the active principles being labile to the humidity and mixed with the gum are selected from the group consisting of ascorbic acid, sodium ascorbate, acetylsalicilic acid, acetylcysteine.

Preferably the additives mixed with the gum are selected from the group



The mixing step c) is preferably carried out in a rotary powder mixer, selected between biconic mixer, "V" mixer or cubic mixer.

The so obtained mixture is preferably pressed with a rotary tabletting machine which transforms into tablets of size of 8-28 mm.

Some illustrative embodiments now follow by way of not limitative example.

Example A

10

15

20

25

Preparation of base gum

The base gum, sold by GUM BASE S.p.A. of Lainate (Milano, Italy), is introduced in a loading hopper of a hammer mill, from which it is then passed to the grinding chamber. The cold-grinding is so carried out according to the prior art and at the outlet the ground base gum with granule sizes below 3mm is obtained.

The gum, at the outlet of the mill, is immediately sealed in a polythene bag in order to avoid the condensation of the room humidity. The gum is then introduced in a mixer-dryer together with 2% by weight of anhydrous silica precipitate. Vacuum is then carried out in the apparatus which is rotated.

A fluid (consisting of water and ethylene glycol), the temperature of which is regulated between 15 and 20°C, is contemporaneously circulated in the apparatus jacket.

The apparatus rotates and the ground gum is mixed with the silica; contemporaneously the gum takes heat from the fluid circulating in the apparatus jacket and the humidity possibly adsorbed during treatments is evaporated and taken away by the applied vacuum. After 2/3 hours of operation, the gum temperature reaches a value of 15-20°C; at this time the machine is stopped, the gum is unloading in to double polythene bag and placed in a cardboard container. Between the two bags a sachet containing silica gel as dehydrating substance, is introduced.

The so obtained humidity level in the gum is comprised between 0.01-0.1% as measured with Karl Fischer apparatus.

Example n.1

In a "biconical" mixer the following powders are introduced:

30	Base gum ground and obtained in Example A	mg 1050	Gum
	Ascorbic acid	mg 206	Active Principle
	Sodium ascorbate	mg 331	Active Principle
	Aspartame	mg 7	Sweetener

	Sorbitol	mg	150	Sweetener
	Isomalt	mg	41	Sweetener ·
	Anhydrous Silica Precipitate	mg	40	antiadherent
	Talc	mg	40	antiadherent
5	Magnesium Stearate	mg	30	Lubricant
	Powdered Orange flavour	mg	60	Flavourant
	Powdered Tangerine Flavour	mg	40	Flavourant

mg 2000

10

15

20

25

30

All the above ingredients are mixed for 20 minutes and the obtained powder is pressed with a tabletting machine obtaining gums of 2 g. The humidity of the tablets just produced and measured with the Karl Fischer apparatus is 0.22%. Such a result allowed a product which is stable for two years to be obtained.

Example n.2

In a "biconical" mixer the following powders are introduced:

	Base gum ground and obtained in Example A	mg	1065	Gum
	Coated Salicic acid	mg	516	Active Principle
	Aspartame	mg	6	Sweetener
	Potassium Acesulphame	mg	4	Sweetener
)	Betacyclodextrin	mg	74	Sweetener
	Silica Precipitate	mg	40	antiadherent
	Talc	mg ·	40	antiadherent
	Powdered Spearmint Flavour	mg	50	Flavourant
	Ammonium glycirrinizate	mg	5	Flavourant
;				
		ma	1900	•

mg 1800

All the above ingredients are mixed for 20 minutes and the obtained powder is pressed with a tabletting machine obtaining gums of 1.8 g.

The humidity of the tablets just produced and measured with the Karl Fischer apparatus is 0.11%. Such a result allowed a product which is stable for two years to be obtained.

Example n.3

WO 02/051258

/EP01/134

	Base gum ground and obtained in Example A	mg	690	Gum
	Acetyl cysteine	mg	100	Active Principle
	Aspartame	mg	3	Sweetener
	Potassium Acesulphame	mg	2	Sweetener
5	Betacyclodextrin	mg	130	Audiuvant
	Anhydrous Silica Precipitate	mg	35	antiadherent
	Talc	mg	35	antiadherent
	Powdered Orange flavour	mg	100	Flavourant
	Ammonium glycirinizate	mg	5	Flavourant
10	Magnesium stearate	mg	30	Lubrificant
	Xilitol	mg	70	Sweetener
		<u></u>		

mg 1200

All the above ingredients are mixed for 20 minutes and the obtained powder is
pressed with a tabletting machine obtaining gums of 1.2 g. The humidity of the
tablets just produced and measured with the Karl Fischer apparatus is 0.19%. Such a
result allowed a product which is stable for two years to be obtained

10

15

20



CLAIMS

- 1. A process for the preparation of medicated gums comprising the step of:
- a) making in powder form the base gum in a grinding chamber;
- b) reducing the amount of humidity of the ground gum;
- 5 c) mixing the obtained powder with one or more active principles and suitable additives in order to obtain a homogenous mixture; and
 - d) pressing the obtained mixer in to tablets of desired sizes, characterized in that in step b) the ground gum is introduced in a mixer-dryer together with a dehydrated substance and rotatably placed under vacuum at a temperature of 15-20°C.
 - 2. The process according to claim 1 wherein the humidity level of the base gum obtained by step b) as measured with Karl Fischer apparatus is comprised of 0.01-0.1%.
 - 3. The process according to claim 1 or 2 wherein the dehydrated substance is anhydrous silica precipitate.
 - 4. The process according to anyone of the preceding claims wherein the dehydrated substance is anhydrous silica precipitate in amount of 2% by weight.
 - 5. The process according to anyone of the preceding claims wherein the regulation of the temperature is carried out through circulation in the cold jacket of a fluid at a temperature of 15-20°C.
 - 6. The process according to claim 5 wherein the fluid is ethylene glycol and water.
 - 7. The process according to anyone of the preceding claims wherein the dwelling time in the mixer-dryer is of 2-3 hours.
- 8. The process according to anyone of the preceding claims wherein the active principles mixed with the gum are selected from the group consisting of ascorbic acid, sodium ascorbate, acetylsalicilic acid, acetylcysteine.
 - 9. The process according to anyone of the preceding claims wherein the additives mixed with gum are selected from the group consisting of sweeteners, flavours, lubricants, antiadherents, fillers.
- 10. The processing according to anyone of the preceding claims wherein the mixing step b) is carried out in a rotary powder mixer, preferably selected between biconic mixer, "V" mixer or cubic mixer and the pressuring step c) is carried out in a rotary tabletting machine.

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 4 July 2002 (04.07.2002)

PCT

(10) International Publication Number WO 02/051258 A3

- (51) International Patent Classification⁷: A23G 3/30, A61K 9/68
- (21) International Application Number: PCT/EP01/13473
- (22) International Filing Date:

19 December 2001 (19.12.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: MI2000A002810

22 December 2000 (22.12.2000) IT

- (71) Applicant (for all designated States except US): ATP AVANT-GARDE TECHNOLOGIES PRODUCT [CH/CH]; Marketing & Licensing SA, Via Pizzamiglio, 12, CH-6833 Vacallo (CH).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): BADETTI, Rolando [IT/IT]; Via Guerrazzi, 49, I-20052 Monza (IT).
- (74) Agent: RICCARDI, Sergio; Via M. Melloni, 32, I-20129 Milano (IT).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- (88) Date of publication of the international search report: 20 March 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

51258 A3

(54) Title: A PROCESS FOR THE PREPARATION OF MEDICATED CHEWING GUMS CONTAINING ACTIVE PRINCIPLES BEING LABILE TO THE HUMIDITY

INTERNATIONAL SEARCH REPORT

PCT/EP 01 473

					_	_
	ASSIFIC	ATION A	OF CITE	IECT N	ATT	
	W DOILIR	WILLIAM A	احالات عال		IA I II	
TPC	7	A23G	つ/つハ		A6 h	760
ırı.	/	AZJU.	טט זנ		AD IN	' OC

According to International Patent Classification (iPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 A23G A61K

Documentation searched other than minimum documentation to the extent that such documents are included. In the fields searched

El-at-ada d	has been excepted during the Interestional groups (name of data b	and where smalled sparch terms used		
	ata base consulted during the international search (name of data b ternal, WPI Data, BIOSIS, CHEM ABS		,	
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the r	elevant passages	Relevant to daim No.	
A	US 4 737 366 A (GERGELY GERHARD 12 April 1988 (1988-04-12) column 1, line 52 -column 2, line column 2, line 49 - line 58 column 3; example 1		1	
A	US 4 514 422 A (YANG ROBERT ET 30 April 1985 (1985-04-30) column 1, line 7 - line 10 column 2, line 51 - line 54 column 5, line 12 - line 15 column 5, line 46 - line 61 claim 1	AL)	1	
A	EP 0 407 019 A (WARNER LAMBERT 0 9 January 1991 (1991-01-09) page 4, line 48 -page 5, line 12 page 17, line 25 - line 30		1,3,4	
X Furt	her documents are listed in the continuation of box C.	Patent family members are listed	in annex.	
"A" docume consider filing of the docume which citation other "P" docume o	ent defining the general state of the art which is not defining the general state of the art which is not dered to be of particular relevance document but published on or after the international date ent which may throw doubts on priority claim(s) or is clied to establish the publication date of another or or other special reason (as specified) eent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but than the priority date claimed	To later document published after the interpretary or priority date and not in conflict with clied to understand the principle or the invention "X" document of particular relevance; the cannot be considered novel or cannor involve an inventive step when the decannot be considered to involve an indocument is combined with one or ments, such combination being obvious in the art. "&" document member of the same patent	the application but early underlying the claimed invention to considered to cournent is taken alone claimed invention eventive step when the one other such docuus to a person skilled	
Date of the	actual completion of the international search	Date of mailing of the International search report		
1	3 December 2002	23/12/2002		
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016	Authorized officer VON EGGELKRAUT, S		

INTERNATIONAL SEARCH REPORT

Internation No PCT/EP 01458473

	Citation of document, with indication, where appropriate, of the relevant passages	·	Relevant to claim No.
ategory °			TISSUM TO GRAIN NO.
	US 4 150 161 A (RUDOLPH MARVIN J ET AL) 17 April 1979 (1979-04-17) column 3, line 67 -column 4, line 11 column 5, line 17 - line 29 claim 1		1
	column 3, line 67 -column 4, line 11	· ·	
	claim 1		
ĺ			
ļ	•		
ļ			
]			
1			
	·		
	•		

INTERNATIONAL SEARCH REPORT

ormation on patent family members

International Application No
PCT/EP 01 473

Patent document cited in search report	Publication date		Patent family . member(s)	ublication date
US 4737366 A	12-04-1988	AT AU DE WO EP FI	55244 T 5356586 A 3579170 D1 8603967 A1 0235159 A1 872731 A ,B	15-08-1990 29-07-1986 13-09-1990 17-07-1986 09-09-1987 18-06-1987
بد بد ک کافائد شد نید جر وی شاها بد ب ب ب	و المراجع المر	JP JP	7096496 B 62501419 T	18-10-1995 11-06-1987
US 4514422 A	30-04-1985	AR AU AU	231054 A1 548651 B2 9165582 A	28-09-1984 19-12-1985 30-06-1983
		CA DE EP ES	1205666 A1 3280375 D1 0082670 A2 8405249 A1	10-06-1986 19-12-1991 29-06-1983 16-09-1984
		HK JP JP JP	115094 A 1395594 C 58129935 A 61056981 B	27-10-1994 24-08-1987 03-08-1983 04-12-1986
EP 0407019 A		ZA US	8208876 A 4980178 A	30-11-1983 25-12-1990
L: 0407019 A	05 01 1551	US AU CA CN DE	4980177 A 5874990 A 2020620 A1 1048486 A 69026540 D1	25-12-1990 10-01-1991 08-01-1991 16-01-1991 23-05-1996
		DE EP ES GR	69026540 T2 0407019 A2 2085332 T3 3019977 T3	14-11-1996 09-01-1991 01-06-1996 31-08-1996
		JE JP JP NO	902474 A1 3119961 A 3224809 B2 903022 A	13-02-1991 22-05-1991 05-11-2001 08-01-1991
		ZA PT	9005332 A 94613 A	25-03-1992 20-03-1991
US 4150161 A	17-04-1979	BE CA CH DE ES	864853 A1 1107125 A1 631325 A5 2811168 A1 467857 A1	14-09-1978 18-08-1981 13-08-1982 28-09-1978 01-09-1979
		FR GB HK IE	2383611 A1 1567743 A 69480 A 46444 B1	13-10-1978 21-05-1980 19-12-1980 15-06-1983 28-01-1987
		IT LU NL SE SE	1155885 B 79237 A1 7802811 A 436538 B 7802924 A	28-01-1987 28-06-1978 19-09-1978 07-01-1985 16-09-1978